

تقديم

الهيئة جهة مستقلة الغرض الأساسي لها هو القيام بتنظيم ومراقبة الغذاء والدواء والأجهزة والمنتجات الطبية، ومن مهامها وضع اللوائح الفنية والمواصفات في مجالات الغذاء والدواء والأجهزة والمنتجات الطبية سواء كانت مستوردة أو مصنعة محلياً، وقد قام قطاع الأجهزة والمنتجات الطبية بالهيئة ضمن برنامج عمل الفريق رقم (SFDA/MDS/TC 62) "فريق عمل مواصفات الأجهزة الكهربائية في التطبيقات الطبية" بتبني المواصفة الدولية رقم (IEC 60601-2-2:2017) "الأجهزة الكهربائية الطبية-الجزء 2-2: المتطلبات الخاصة بسلامة الأجهزة الجراحية ذات التردد العالي"، والتي أصدرتها "المنظمة الدولية الكهروتقنية" وذلك بلغتها الأصلية. وقد اعتمدت هذه المواصفة كمواصفة سعودية متبناة بالمطابقة بلغتها الأصلية وقد تم إقرار تبني المواصفة من معالي الرئيس التنفيذي للهيئة بقرار رقم (.....) وتاريخ

Foreword

The Saudi Food and Drug Authority (SFDA) is an independent organization mainly responsible for regulating imported/local food, drug and medical devices which includes, inter alia, setting their standards. International Standard No. (IEC 60601-2-2 " Medical electrical equipment - Part 2-2: Particular requirements for the basic safety and essential performance of high frequency surgical equipment and high frequency surgical accessories" issued by "International electrotechnical Commission" has been adopted identically in its original language. This standard is adopted with modifications in its original language as a national standard and approved by SFDA CEO decision No (...) on (date)

Scope:

Replacement:

This part of IEC 60601 applies to the BASIC SAFETY and ESSENTIAL PERFORMANCE of HF SURGICAL EQUIPMENT and HF SURGICAL ACCESSORIES as defined in 201.3.224 and 201.3.223.

HF SURGICAL EQUIPMENT having a RATED OUTPUT POWER not exceeding 50 W (for example for micro-COAGULATION, or for use in dentistry or ophthalmology) is exempt from certain of the requirements of this particular standard. These exemptions are indicated in the relevant requirements.