PRESCRIBING CHECK LIST




PATIENT CHECK LIST

The following topics should be discussed with the patient prior to or at the time of prescribing Lojuxta.

Dietary advice

Follow a low fat eating plan	
with < 20% energy from fat.	

Take vitamin E and essential fatty acids daily.





Lojuxta should be taken on an empty stomach, at least 2 hours after the evening meal.

Pregnancy advice



Use effective contraception.

Advise there may be a loss of effectiveness of oral contraceptives due to diarrhoea or vomiting requiring additional contraception until 7 days after resolution of symptoms.

Tell their doctor immediately if they suspect they might be pregnant.

Medical follow-up



Attend for liver monitoring tests.

Report any suspected adverse events.

PHYSICIAN CHECK LIST

The following activities should be performed prior to prescribing Lojuxta and during on-going treatment to support the safe use of the product.

Liver monitoring

Measure ALT, AST, bilirubin, alkaline phosphatase, serum albumin and gamma GT at baseline.

Measure ALT and AST (at a minimum) monthly or prior to each dose increase for the 1st year and thereafter 3 monthly.

Perform screening and monitoring for evidence of steatohepatitis/fibrosis at baseline and annually, in consultation with a hepatologist.

Patient selection



Confirm patient is diagnosed with HoFH and aged 18 years and above.

Check for contraindications including pregnancy.

Drug interactions

Г	1	
-	1	

Check for drug interactions with CYP3A4 inhibitors, CYP3A4 inducers, p-glycoprotein substrates, coumarin anticoagulants, statins. This document is approved by The Executive Directorate of Pharmacovigilance, at SFDA.

For more copies of this, contact Amryt Pharmaceuticals Information on +966 112 777 729 e-mail: medinfo@amrytpharma.com QPPV-Saudi@pharmaknowl.com

Call for Report any adverse drug reactions :

- 1. PharmaKnowl Consulting Tel: +966112777729 Tel: +966112404409 Email: QPPV-Saudi@pharmaknowl.com
- The National Pharmacovigilance Centre (NPC) Saudi Food and Drug Authority (SFDA): SFDA call center: 19999 / E-mail: npc.drug@sfda.gov.sa / Website: http://ade.sfda.gov.sa

Amryt Pharmaceuticals DAC

Amryt Pharmaceutical DAC has the exclusive rights to Lojuxta as a registered trademark. All rights reserved. Lojuxta® (Iomitapide) hard capsules Summary of Product Characteristics.

