#### What should I know about Rivaroxaban SPC?

- Rivaroxaban SPC thins the blood, which prevents you from getting dangerous blood clots.
- Rivaroxaban SPC must be taken exactly as prescribed by your doctor. To ensure optimal protection from blood clots, never skip a dose.
- You must not stop taking Rivaroxaban SPC without first talking to your doctor as your risk of blood clots may increase.
- Tell your health care provider about any other medicines you are currently

- taking, took recently or intend to start taking, before you start Rivaroxaban.
- Tell your health care provider that you are taking Rivaroxaban before any surgery or invasive procedure.

# When should I seek advice from my health care provider?

When taking a blood thinner such as Rivaroxaban SPCit is important to be aware of its possible side effects. Bleeding is the most common side effect. Do not start taking Rivaroxaban SPC if you know you are at risk of bleeding, without first discussing this with your doctor. Tell your health care provider straight away if you have any signs or symptoms of bleeding such as the following:

- pain
- swelling or discomfort
- headache, dizziness or weakness
- unusual bruising, nosebleeds, bleeding of gums, cuts that take a long time to stop bleeding
- menstrual flow or vaginal bleeding that is heavier than normal
- blood in your urine which may be pink or brown, red or black stools

 coughing up blood, or vomiting blood or material that looks like coffee grounds

#### How do I take Rivaroxaban SPC?

- To ensure optimal protection, Rivaroxaban
- 10 mg can be taken with or without food
- 15 mg must be taken with food
- 20 mg must be taken with food

#### call for reporting :

Call center number: 19999

Any adverse reactions should be reported to:

1.The National Pharmacovigilance and Drug Safety Centre (NPC):
Website https://ade.sfda.gov.sa
Emil: no.cturu@sfda.gov.sa

2.Pharmacovigilance department of Sudair Pharma Company: Tel: 920001432 Ext. 107

Mobile: 0546030507
E-mail: Pharmacovigilance@sudairpharma.com

**Patient Alert Card** 

Rivaroxaban SPC mg 10 Rivaroxaban SPC mg 15 Rivaroxaban SPC mg 20



Version 1.0

March.2021

- Keep this card with you at all times
- Present this card to every physician or dentist prior to treatment

This document has been reviewed and approved by The Saudi Food and Drug Authority (SFDA).

## I am under anticoagulation treatment with Rivaroxaban SPC (rivaroxaban)

| Name:       |         | Other medicines / conditions: |
|-------------|---------|-------------------------------|
| Address:    |         |                               |
| Birth date: | Weight: |                               |

### In case of emergency, please notify:

#### Please also notify:

| Name:         |  |
|---------------|--|
| Phone:        |  |
| Relationship: |  |
|               |  |

### Information for health care providers:

 INR values should not be used as they are not a dependable measure of the anticoagulant activity of Rivaroxaban SPC.

