## A-Curacne1 - 02 FEB-2024

### What you have to do if you could become pregnant:

- You must use at least 1 highly effective method of contraception (such as an intra-uterine device or an implant) or correctly use 2 effective methods of birth control that work in different ways (such as an oral contraceptive together with a condom) before, during and for 1 month after stopping treatment.
- You must not become pregnant while taking CURACNÉ, or for 1 month after stopping treatment.
- You must attend regular follow-up visits and have regular pregnancy testing:
- Before you start treatment, you will have to have a pregnancy test, which must be negative.
- To make sure you are not pregnant during treatment, you should have regular pregnancy tests, ideally every month. You should also have a final pregnancy test 1 month after stopping treatment.

#### Reminder for men and women

This medication has been prescribed to you only, do not share it with anybody and return any unused capsules back to the pharmacy.

You must not donate blood during treatment with CURACNÉ and for one month after discontinuation due to the potential risk to the foetus of a pregnant transfusion recipient.

## PATIENT REMINDER CARD INCLUDING APPOINTMENT TABLE

1/4	
	Doctor's name :
	Telephone :
$\mathcal{L}$	

This document is approved by The Executive Directorate of Pharmacovigilance, at SFDA

CURACNÉ must not be taken during pregnancy.

**CURACNÉ** can seriously harm an unborn baby if a pregnant woman takes it.

If you become pregnant or think you might be pregnant, stop taking CURACNÉ immediately and contact your doctor.

Read the package leaflet carefully before you start treatment.

If you have any questions or concerns about taking **CURACNÉ**, talk to your doctor or pharmacist.

# 5A-Curacne1 - 02 FEB-2024

## **Appointment table**

Please use this table to record the dates of your appointments with your doctor:

Date of appointment	Contraception used	Pregna	ancy test result	Doctor's Signature
		☐ Positive	□ Negative	
		☐ Positive	□ Negative	
		☐ Positive	□ Negative	
		☐ Positive	□ Negative	
		☐ Positive	□ Negative	
		☐ Positive	□ Negative	
		☐ Positive	□ Negative	

You can report any safety concern with CURACNÉ by contacting RAPMS@tamergroup.com

You can also report any suspected adverse reaction to the National Pharmacovigilance and Drug Safety Centre (NPC):

- SFDA call center: 19999
- Website: http://ade.sfda.gov.sa/
- E-mail: npc.drug@sfda.gov.sa
- QR Code:



