



My Toxefro[®] (Deferasirox) card

Patient card

Toxefro[®] 250 mg Dispersible Tablets
Toxefro[®] 500 mg Dispersible Tablets
Toxefro[®] 90mg F.C Tablets
Toxefro[®] 180mg F.C Tablets
Toxefro[®] 360mg F.C Tablets

Name:

Date:

Starting Deferasirox

You can start tracking your progress once your doctor decides on your goal SF level and dose of Deferasirox. Work with your doctor to fill in your treatment goals and other information, below.

Date: _____ My current SF level: _____

My treatment goal is to:

Reduce my SF Level to

My Weight:

My Deferasirox dosing regimen

I am taking

- Deferasirox dispersible tablets
- Deferasirox film-coated tablets

- How many tablets will I take each day?

If Deferasirox film-coated tablets:

- I can swallow my tablets whole
- I will crush my tablets and sprinkle them on a soft food such as yogurt or applesauce (puréed apple) and eat it immediately

- When will I take my medication?

Notes: Write down any notes or questions from your visit.

Call for reporting:

Additional copies of the materials can be obtained by contacting MS pharma for pharmaceuticals.

Report suspected adverse drug reactions associated with Toxefro[®] (Deferasirox) by contacting:

Pharmacovigilance Department at MS Pharma:

- Email: pharmacovigilance@mspharma.com
- Website: www.mspharma.com
- Phone No: + 966112790122 Ext. 6013

The National Pharmacovigilance Center (NPC): (Saudi food and drug authority)

- Email: npc.drug@sfd.gov.sa
- Call Center: 19999
- Website: <https://ade.sfda.gov.sa/>
- QR Code

